





BEx Analyzer Toolbar Icons








BEx Analyzer Toolbar Icons



Icons	Description
<p>Open</p> 	<p>Workbook</p> <ul style="list-style-type: none"> Used by KMSF only <p>Queries</p> <ul style="list-style-type: none"> Selection of characteristics and key figures (InfoObjects) for the analysis of the data in an InfoProvider (InfoCube, ODS, etc.) Always refers exactly to one InfoProvider; can define as many queries as you like for each InfoProvider <p>Saved Views</p> <ul style="list-style-type: none"> Created when base query is run, make changes (drill-downs, filters, etc.) and save view changes (but not data) to run later Base query does not change, only the current view of the data <p>Exceptions</p> <ul style="list-style-type: none"> Not available
<p>Save – Must first run query in BEx-Analyzer</p> 	<p>Save as New Workbook</p> <ul style="list-style-type: none"> Used by KMSF <p>Save View as Jump Target</p> <ul style="list-style-type: none"> Used by KMSF <p>Save View Global</p> <ul style="list-style-type: none"> Saves view so it can be recalled later
<p>Refresh – Must first run query in BEx-Analyzer</p> 	<ul style="list-style-type: none"> Brings up the parameter window so the values of the variables can be adjusted


BEx Analyzer Toolbar Icons



Icons	Description
<p>Back – Must first run query in BEx-Analyzer</p> 	<ul style="list-style-type: none"> Allows undoing last change made
<p>Change Query – Must first run query in BEx-Analyzer</p> 	<ul style="list-style-type: none"> Gives ability to create local calculated and restricted key figures for the current query view Does not allow adding Key Figures, Characteristics or restrict characteristic values on the query level
<p>Goto</p> 	<p>Exceptions</p> <ul style="list-style-type: none"> Displays a list of alerts for the query's exceptions <p>Repeat Jump on Double-click</p> <ul style="list-style-type: none"> Jumps to a stored view Checkmark appears to the left of Repeat Jump on Double-click to show active function
<p>OLAP Functions for Active Cells</p> 	<ul style="list-style-type: none"> Used to access functions from the cells in the filter and results areas of the query Functions can also be accessed by right-clicking on the cell Menu differs based on the query characteristics and key figures and the cell area you select
<p>Format</p> 	<ul style="list-style-type: none"> Used to format the query to change font/font color, background color and pattern, frame, alignment, hierarchy display

BEx Analyzer Toolbar Icons





Icons	Description
<p>Layout</p> 	<p>Attach Chart</p> <p>Attach Map</p> <ul style="list-style-type: none"> • Use to evaluate geo-relevant data for a query with the help of BEx Map (BW's integrated Geographical Information System) <p>Display Text Elements</p> <ul style="list-style-type: none"> • Displays text elements for a query, such as the author, last changed by information, InfoProviders, etc. <p>Display Exceptions</p> <ul style="list-style-type: none"> • Displays defined exceptions for a query • Descriptions inserted into the cell area below the filter cells • Can activate/deactivate with a double-click or by right-clicking to display the context menu <p>Display Conditions</p> <ul style="list-style-type: none"> • Displays defined conditions for a query • Descriptions inserted into the cell area underneath the filter cells • Can activate/deactivate with a double-click or by right-clicking to display the context menu <p>Move Result Area</p> <ul style="list-style-type: none"> • Used to move the results area to another cell area by entering the cell area to which you want the results moved • When moved, the contents are deleted; refresh query to display the contents again <p>Mark Queries on Worksheet</p> <ul style="list-style-type: none"> • Used to display which cell areas of the worksheet are connected to different queries • Arrows between filtered cells and the results area indicate where the query-cell areas belong • If function selected again, the highlighting is removed

BEx Analyzer Toolbar Icons



Icons	Description
<p>Tools</p>	<p>Launch in Web Browser</p> <ul style="list-style-type: none"> • Use to display the initial view of the web browser • Query is embedded automatically into a standard Web template for ad-hoc analysis <p>Query Designer</p> <ul style="list-style-type: none"> • Use to create a new query or open an existing one <p>Insert Query</p> <ul style="list-style-type: none"> • Use to insert an additional query into the active worksheet of the workbook • Query is inserted into the worksheet, starting at the selected cell <p>Copy Query</p> <ul style="list-style-type: none"> • Used to copy query to a new position in the workbook • Enter the position to which you want to copy the query • After copying, need to refresh to display current data <p>Remove Query</p> <ul style="list-style-type: none"> • Use to delete one selected query from the workbook • Query definition itself is not deleted • Can insert this query into this workbook or another workbook <p>All Queries in Workbook</p> <ul style="list-style-type: none"> • Used to remove all queries in a workbook, delete all the results areas of all the queries contained in the workbook, or delete the link between the cell areas of the queries and the data <p>SAP Protection</p> <ul style="list-style-type: none"> • Used to protect the current worksheet from changes

Icons	Description
<p>Settings</p> 	<p>Pause Automatic Refresh</p> <ul style="list-style-type: none"> Used to stop the query from being refreshed automatically after selecting filter values, changing a query (local view), or configuring properties <p>BW Server Connection</p> <ul style="list-style-type: none"> Used to terminate or set up connection between BEx Analyzer and the Business Information Warehouse Server <p>Display BW Server Information</p> <ul style="list-style-type: none"> Used to show if and how logged on to the Business Information Warehouse Serve <p>New Workbook on Embed</p> <ul style="list-style-type: none"> Used to determine which workbook a query is embedded <p>Permanent Workbook Template</p> <ul style="list-style-type: none"> Used to determine which workbook is the permanent workbook template <p>OLAP Functions with Right-Click</p> <ul style="list-style-type: none"> Used to determine whether interactive functions such as navigation or sorting on the cell area of a query are possible using the context menu <p>Suppress Warnings from Server</p> <ul style="list-style-type: none"> Used to stop warning messages from the server from appearing <p>Trace</p> <ul style="list-style-type: none">
<p>Help</p> 	<ul style="list-style-type: none"> Use to get to the SAP Library Provides more information about BEx Analyzer